

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: WICHITA FALLS 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
 > 2 AIRPORT NAME: SHEPPARD AFB/WICHITA FALLS MUNI 5 COUNTY: WICHITA TX  
 3 CBD TO AIRPORT (NM): 05 N 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: DALLAS-FT WORTH

### GENERAL

10 OWNERSHIP: AIR FORCE  
 > 11 OWNER: UNITED STATES AIR FORCE.  
 > 12 ADDRESS: SHEPPARD AFB  
 WICHITA FALLS, TX 76311  
 > 13 PHONE NR:  
 > 14 MANAGER: JENNY STEVENS  
 > 15 ADDRESS: 4000 ARMSTRONG DR, STE 8  
 WICHITA FALLS, TX 76305  
 > 16 PHONE NR: 940-761-4306  
 > 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL: 100LL A  
 71 AIRFRAME RPRS: MINOR  
 72 PWR PLANT RPRS: MINOR  
 73 BOTTLE OXYGEN: NONE  
 74 BULK OXYGEN:  
 75 TSNT STORAGE: TIE  
 76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

ALL ALL ALL

### FACILITIES

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 33-59-19.6800N ESTIMATED  
 20 ARPT LONG: 098-29-30.8600W  
 21 ARPT ELEV: 1019.1 SURVEYED  
 22 ACREAGE: 3,800  
 > 23 RIGHT TRAFFIC: 15R, 18  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGY  
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 122.950  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: FORT WORTH  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

15C/33C	15L/33R	15R/33L	18/36
10,003	6,000	13,100	7,021
150	150	300	150
ASPH-CONC	ASPH-CONC	CONC	ASPH
GRVD	GRVD	NONE	GRVD

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

27 /F/B/W/T	27 /R/C/W/T	75 /R/C/W/T	33 /F/A/W/T
HIGH	HIGH	HIGH	HIGH
PIR - G / PIR - G	NPI - G / NPI - G	PIR - G / PIR - G	NPI - G / NPI - G
P4L / P4L	P4L / P4L	P4L / P4L	/
46 / 48	40 / 40	55 / 56	/
3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -N	- / -
/	Y / Y	/	/ Y
ALSF1 / ALSF1	/	MALSR / MALSR	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

PIR / PIR	/	D / PIR	B(V) / B(V)
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
50:1 / 50:1	/	50:1 / 50:1	50:1 / 50:1
N / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### > 110 REMARKS

A 014 FBO 940-855-5460.  
 A 030 RWY 15C/33C CLOSED.  
 A 033 RWY 15C/33C RWY 15C FIRST 2000 FT, LAST 1000 FT CONC, MID ZONE ASPH.  
 A 033 RWY 15L/33R FIRST & LAST 1000 FT CONC; MID ZONE ASPH.  
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 33L - CTAF.  
 A 110-002 TRAN ALERT: OPR 1200-0200Z++ WKD; 1800-2300Z++ SUN, CLSD SAT AND HOL.  
 A 110-004 RSTD: PPR, 24 HR PN RQR, CTC AFLD OPS DSN 736-2180/6474, C940-676-2180/6474.  
 A 110-006 DURING PERIODS WHEN CTL TWR IS CLSD EXERCISE CAUTION WHEN TAXIING; THE CIVIL ARPT IS LCTD TO THE S AND THE MIL RAMP IS LCTD TO THE W OF THE RWYS. FLD COND NOTAM (FICON) (RSC/RCR) NOT RPRTD WHEN TWR CLSD.  
 A 110-007 RSTD: TRAN ACFT LTD TO ONE APCH TO A FULL STOP LDG AND MUST TAXI TO PRKG DURG STU TRNG.  
 A 110-008 MIGRATORY BIRD ACTIVITY ON & INVOF ARPT FM OCT-APR.  
 A 110-010 CAUTION: \*MIL ARPT CONDUCTS HI PERFORMANCE JET TRNG IN A HI DENSITY ENVIRONMENT WITHIN 95 NM OF KSPS, 1200-0200Z++ MON-FRI TO FL390, AND WHEN TWR HR EXTN BY NOTAM, OCCASIONALLY SAT AND SUN.  
 A 110-011 (A89) LC CALL TO FSS 855-5574.  
 A 110-012 A-GEAR: MA-1A RWY 15R-33L NOT RAISED, UNLESS 80TH FTW IS FLYING, RQR 30 MIN PN WHEN TWR OPR.

111 INSPECTOR: (F) 112 LAST INSP: 05/17/2024 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-014 MISC: BASE OPS 1200-0200Z++ WKD; 1800-2300Z++ SUN; CLSD SAT AND HOL.  
A 110-015 DUE TO CLOSE PROXIMITY OF RYS 33L & 33C USE VIGILANCE WITH MONITOR GND TRACK FOR THE HI-TACAN RY 33C APCH.  
A 110-016 RSTD: SOLO STU N/A.  
A 110-018 MISC: WX OBSERVATION LTD TO WEST DUE TO RSTD VIEW.  
A 110-022 SERVICE-LGT: RWY 15R-33L PAPI RRP AND ILS RPI NOT COINCIDENTAL.  
A 110-023 SERVICE-LGT: RWY 15C-33C PAPI GS AND ILS GS NOT COINCIDENTAL.  
A 110-024 RSTD: ALL TRAN ACFT MUST BE CHOCKED 30 MIN PRIOR TO TRANS ALERT CLOSING; PPR EXPIRES 30 MIN PRIOR TO AFLD CLOSING.ALL TRAN ACFT RQRD TO ARR WITH CREW ORDERS FOR SECURITY FORCES  
A 110-025 CAUTION: DO NOT CONFUSE PARL TWY WITH RWY 15R-33L.  
A 110-026 MISC: AETC FTR ACFT EXP REDUCED RY SEPARATION: DAY/VFR, SIMILAR TYPE ACFT 3000 FT, DISSIMILAR TYPE ACFT 6000 FT, NIGHT 6000 FT ALL AETC ACFT. TRAN AETC ACFT NOTIFY TWR ON INITIAL CTC IF REDUCED RY SEPARATION IS NOT DESIRED.  
A 110-028 MISC: MIL WX ADVSY/WARNING AVBL O/R-METRO.

111 INSPECTOR: ( F )

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-029 SERVICE - TRAN ALERT: OPR 1130 -0300Z++ WKD; 1800-2300++ SUN; CLSD SAT AND HOL. QUALIFIED WEAPONS/MUNITIONS PERS NOT AVBL TO SAFE FTR TYPE ACFT.  
A 110-030 JASU: 3(AM32-95) 1(MC-1) 3(AM/32A-86D).  
A 110-031 FLUID: SP PRESAIR LOX.  
A 110-032 SERVICE-OIL JOAP RESULTS AVBL 1345-2100Z++ WKD EXC HOL.  
A 110-035 MISC: CLASS D AIRSPACE EFF 1130-0300Z++ MON-FRI; 1800-2300Z++ SUN; EXC HOL; OT CLASS E.  
A 110-036 CAUTION: ATC PERS IAW THE COOPERATIVE WX WATCH (CWW) WILL ALERT WX PERS ON ANY UNREPORTED WX COND THAT COULD AFFECT FLT SAFETY.  
A 110-037 CAUTION: MIL ARPT CONDUCTS HI PER JET TRNG IN A HI DENSITY ENVIRONMENT 1400-0400Z++ MON-FRI AND WHEN TWR HR EXTN BY NOTAM; OCNLY SAT. TRANS MIL ACFT NOT AUZD TO ARR/DEP OUTSIDE OF PUBL HR.  
A 110-039 MISC: EXPECT NO AF SVC WHILE PRK AT THE RGN ARPT.  
A 110-044 MISC: CTC BASE TAXI DSN 736-1843 C940-676-1843, OR U-DRIVE DSN 736-6813 C940-676-6813 PRIOR TO ARR.  
A 110-049 SERVICE-FUEL: A++.  
A 110-051 AFLD OPS FLT/COMMAND POST AT C940-676-2616.  
A 110-053 FOR CD IF UNA TO CTC ON FSS FREQ, CTC FORT WORTH ARTCC AT 817-858-7584.  
A 110-054 SERVICE-LGT: RWY 15C SFL OTS UFN.

111 INSPECTOR: (F)

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-055 RSTD: RWY 15L/33R FOR 80 FTW T-6 ACFT USE ONLY.  
A 110-056 SERVICE-LGT: RWY 33C SFL OTS UFN.  
A 110-057 RSTD: RWY 15C/33C CLSD EXC XNG AT TWY G FOR 80 FTW ACFT. TWY K AND TWY G EAST OF RWY 15R/33L CLSD EXC FOR 80 FTW ACFT. TWY L AND TWY F BTWN RWY 15R/33L AND APCH END RWY 33C CLSD.  
A 110-058 MISC: FOR INFO ABT THE WICHITA FALLS MUNI ARR PROCS VISIT: WWW.SHEPPARD.AF.MIL/CONTACT/SHARE-THE-AIR.  
A 110-059 ILS/RADAR: ILS OR LOC/DME - ILS 15C NOT AVBL.

111 INSPECTOR: ( F )

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026