

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: SARASOTA/BRADENTON 4 STATE: FL LOC ID: SRQ FAA SITE NR: 03484.*A
 > 2 AIRPORT NAME: SARASOTA/BRADENTON INTL 5 COUNTY: SARASOTA FL
 3 CBD TO AIRPORT (NM): 03 N 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: SARASOTA MANATEE ARPT AUTHORITY
 > 12 ADDRESS: 6000 AIRPORT CIRCLE
 SARASOTA, FL 34243-2105
 > 13 PHONE NR: (941) 359-2770
 > 14 MANAGER: PAUL HOBACK, JR.
 > 15 ADDRESS: 6000 AIRPORT CIRCLE
 SARASOTA, FL 34243-2105
 > 16 PHONE NR: 941-359-5200
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH/LOW
 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES: AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 27-23-43.6000N ESTIMATED
 20 ARPT LONG: 082-33-15.8000W
 21 ARPT ELEV: 29.9 SURVEYED
 22 ACREAGE: 1,102
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGRVY3
 > 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: SAINT
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	04/22	14/32
> 30 RUNWAY INDENT:	5,006	9,500
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	99.0
35 GROSS WT: S	250.0	172.0
36 (IN THSDS) D	493.0	316.0
37 2D	999.0	
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	NPI - F / NPI - F	PIR - F / PIR - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
> 43 VGSI:	46 / 43	52 / 51	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	/	/	/
> 48 REIL:	/	MALSR / MALSR	/	/
> 49 APCH LIGHTS:	/		/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	C / C	PIR / PIR		
50 FAR 77 CATEGORY	/	1,350 / 1,150	/	/
> 51 DISPLACED THR:	/ ROAD	BERM /	/	/
> 52 CTLG OBSTN:	/ L	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 15	20 /	/	/
> 54 HGT ABOVE RWY END:	/ 335	200 /	/	/
> 55 DIST FROM RWY END:	/ 270L	465R /	/	/
> 56 CNTRLN OFFSET:	34:1 / 9:1	0:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	Y / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	5,006 / 5,006	8,350 / 8,150		
> 60 TAKE OFF RUN AVBL (TORA):	5,006 / 5,006	9,500 / 9,500	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,006 / 5,006	8,890 / 8,660	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,006 / 5,006	7,540 / 7,510	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 005 AND MANATEE CO.
 A 039 RWY 04/22 PCR VALUE: 580/F/A/X/T
 A 039 RWY 14/32 PCR VALUE: 370/F/A/X/T
 A 057 RWY 14 APCH SLP 50:1 TO DTHR.
 A 058 BERM 20 FT TALL 200 FT BFR AER RWY 14 465 RIGHT OF CNTRLN.
 A 070 L FOR FUEL AVBL CTC FBO. ACR FUEL SVC UNAVBL AFT LAST SKED DEP. 24 HR 100LL SELF SVC FUEL AVBL AT NORTH FBO.
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 14 & 32; REIL RWY 22; PAPI RWY 04, 22, 14 & 32; HIRL RWY 04/22 & 14/32 - CTAF.
 A 110-001 TWY F LTD TO 70000 LBS GWT.
 A 110-002 STRICT NOISE ABATEMENT PROC IN EFCT FOR DEP JET ACFT.
 A 110-003 BIRDS ON & INVOF ARPT.
 A 110-005 MISC: CLASS C ASP EFF 700-0100 ++; OT CLASS G. CLASS E 700 FT AGL & ABV.
 A 110-006 TRML RAMP IS UNCTLD. DO NOT CALL FOR PUSH/POWER BACK. ADZ GC WHEN READY TO TAXI.
 A 110-007 WHEN TWR CLSD HOLD AT ILS HOLD PSN SIGNS ABEAM RWY 14 & RWY 32 THR DURG ALL WX CONDS. APCH TO RWY 14 & RWY 32 CSDRD CLEAR WHEN ACFT ARE BYD RWY 14 & RWY 32 THR BASE UPON LDG DRCTN.
 A 110-008 DIVD ACR ACFT ADZD TO USE TRML RAMP.

111 INSPECTOR: (F) 112 LAST INSP: 01/30/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: SRQ FAA SITE NR: 03484.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-009 PPR FOR HIGH SPEED TAXI TEST - ARPT OPS 941-359-2770 EXT 4300.
- A 110-010 FLD CONDS UNMON 0100-0530.
- A 110-012 NO INTL FLT DVRSNS ACPTD UNLESS EMERG.
- A 110-013 FOR CD IF UNA TO CTC ON FSS FREQ, CTC TAMPA APCH AT 813-878-2528.
- A 110-014 ACFT RUN-UPS PROHIBITED AT TRML GATES.
- A 110-015 US CUST GA ACFT AT W END OF TRML RAMP.
- A 110-016 TRML GATE B1 UNAVBL TO ACFT WINGSPAN MORE THAN 118 FT.
- A 110-017 TWY R5 CLSD TO ACFT WINGSPAN MORE THAN 118 FT.
- A 110-018 24 HR ADVN NOTICE OR IMT REPORTING UPON LDG FOR ACFT EQUIPPED WITH WEATHER MODIFICATION OR GEOENGINEERING EQUIP CTC ARPT OPS 941-359-2770 X4300.

111 INSPECTOR: (F)

112 LAST INSP: 01/30/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026