

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: NEW YORK 4 STATE: NY LOC ID: SWF FAA SITE NR: 15752.*A
> 2 AIRPORT NAME: NEW YORK STEWART INTL 5 COUNTY: ORANGE NY
> 3 CBD TO AIRPORT (NM): 44 N 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: PORT AUTHORITY OF NY & NJ
> 12 ADDRESS: 1180 FIRST ST
NEW WINDSOR, NY 12553
> 13 PHONE NR: 845-838-8200
> 14 MANAGER: OMAR ASTACIO
> 15 ADDRESS: 1180 FIRST ST
NEW WINDSOR, NY 12553
> 16 PHONE NR: 845-838-8200
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE:
76 OTHER SERVICES:
CARGO, CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 41-30-14.8000N ESTIMATED
20 ARPT LONG: 074-06-17.4000W
21 ARPT ELEV: 490.7 SURVEYED
22 ACREAGE: 1,552
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I C S 07/1973

80 ARPT BCN: WG
81 ARPT LGT SKED :
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: NEW YORK
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	09/27	16/34	H1
> 30 RUNWAY INDENT:	11,817	6,004	40
> 31 LENGTH:	150	150	40
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
> 34 SURF TREATMENT:	85.0	120.0	
35 GROSS WT: S	175.0	190.0	
36 (IN THSDS) D	350.0	350.0	
37 2D	775.0	800.0	
38 2D/2D2			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSF:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH	BSC - G / -	- / -
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NSTD - G / NSTD - G		
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
> 43 VGSF:	65 / 56	53 / 49	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	Y - Y / Y -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	TMR - / TMR -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	Y / Y	/	/
> 48 REIL:	ALSF2 /	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / PIR	C / C	/	/
50 FAR 77 CATEGORY	2,000 / 2,000	/	/	/
> 51 DISPLACED THR:	FENCE / TREE	/ TREES	/	/
> 52 CTLG OBSTN:	L /	/	/	/
> 53 OBSTN MARKED/LGTD:	38 / 67	/ 17	/	/
> 54 HGT ABOVE RWY END:	420 / 1,120	/ 780	/	/
> 55 DIST FROM RWY END:	550R / 140R	/ 220R	/	/
> 56 CNTRLN OFFSET:	5:1 / 13:1	34:1 / 34:1	/	/
57 OBSTN CLNC SLOPE:	N / N	Y / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	11,817 / 11,817	6,004 / 6,004	/	/
> 60 TAKE OFF RUN AVBL (TORA):	11,817 / 11,817	6,004 / 6,004	/	/
> 61 TAKE OFF DIST AVBL (TODA):	10,817 / 11,817	6,004 / 6,004	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	8,817 / 9,817	6,004 / 6,004	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 011 LEASEE PANYNJ: . PROPERTY OWNED BY NYSDOT 1220 WASHINGTON AVE. ALBANY, NY 12226. TELEPHONE 518-457-2822.
A 024 LNDG FEE PER 1000 LBS. CERTIFICATED MAX TOG.
A 030 RWY H1 HELIPAD LCTD INTXN TWYS B & C EAST OF TWY C.
A 039 RWY 09/27 PCR VALUE: 733/F/B/X/T
A 039 RWY 16/34 PCR VALUE: 733/F/B/X/T
A 042 RWY 16 MILITARY ASSAULT LANDING ZONE & BASIC MKGS WITH AIMING POINTS.
A 042 RWY 34 MILITARY ASSAULT LANDING ZONE & BASIC MKGS WITH AIMING POINTS.
A 043 RWY 16 PAPI UNUSBL BYD 5 DEGS LEFT OF CNTRLN.
A 049 RWY 09 ALSF-2 U/S.
A 057 RWY 09 APCH SLP 50:1 TO DTHR.
A 057 RWY 27 APCH SLP 46:1 TO DTHR.
A 058 RWY 16 +3 FT GND 140 FT FM RWY END 240 FT L.
A 110-001 AVOID ORANGE COUNTY ARPT LCTD 7 NM WNW DURG VFR APCHS.
A 110-003 BIRDS & DEER ON & INVOF ARPT.
A 110-004 NO JET TRNG 2300 TO 0700 DLY.

111 INSPECTOR: (F)

112 LAST INSP: 06/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: SWF FAA SITE NR: 15752.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-005 HUDSON VALLEY RGNL LCTD 3.3 NM SW IGN VORTAC; DO NOT MISTAKE FOR STEWART INTL.
- A 110-007 EXTSV GLDR ACT 8 MI E OF HUO VORTAC IN A 5-MI RADIUS.
- A 110-012 NOISE ABATEMENT PROCEDURES IN EFFECT CTC AMGR 845-838-8200.
- A 110-013 RGT TFC ON RWYS 16 & 27 MAY BE USED FOR NOISE ABATEMENT.
- A 110-014 USER FEE CHARGED TO ALL INTL FLIGHTS.
- A 110-015 COMPASS CALIBRATION PAD LCTD ON THE TWY G RUNUP APRON.
- A 110-018 TWYS B & H RESTRICTED TO ACFT WITH WINGSPAN GTR THAN 118 FT.
- A 110-019 TWY C RSTRD TO ACFT WITH WINGSPAN GTR THAN 125 FT BTN TRML BLDG & BLDG 118.
- A 110-021 ACFT WITH WINGSPAN 172 FT OR MORE RQR VEHICLE ESCORT FOR ALL TWY C OPNS S OF TRML APN. CTC ARPT OPNS 845-838-8237.

111 INSPECTOR: (F)

112 LAST INSP: 06/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: SWF FAA SITE NR: 15752.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-022 MILITARY: ARMY OPS 1300-2100Z++ WEEKDAYS EXC HOL, O845-567-1209, OT CTC FBO. 24 HR PPR ONLY FOR PARKING ARMY RAMP. NO SVC AVAIL THROUGH ARMY RAMP, CTC FBO. 48 HR PPR ALL OPERATIONS ON WEST POINT MILITARY RESERVATION, CTC 2ND AVN DET OPSO, O845-567-1209, C845-372-3349.

A 110-023 MILITARY: ALL MIL ACFT OPR, BASH PHASE II PERIOD (1 APR-30 MAY & 1 AUG-30 NOV) BIRD WATCH COND SEVERE (TKOF AND LDGS PROH UNLESS GREATER EMERG AND/OR IMMED OPERATIONAL NECESSITY EXISTS. LCL AND TACTICAL TRNG PROH) MODERATE (MULTIPLE APCHS PROH A DEPARTURE AND FULL STOP ALLOWED IF RTE AVOIDS BIRDS ACT.)

A 110-024 MILITARY: AFLD MGR DOES NOT ISSUE OR STORE COMSEC FOR TRAN CREWS. TMPRY STOR OF CLASSIFIED MATERIALS UP TO SECRET AT COMD POST.

A 110-026 TWY C BTN TWY B & TWY F NOT VISIBLE FM TWR.

A 110-029 TWY L CLSD EXC 20 MIN PPR. TWY L APRON FOLLOW ME VEHICLE REQUIRED. CTC ARPT OPNS 845-838-8237.

A 110-030 FUEL: A++ AVBL.

A 110-031 MILITARY: ADVSY FOR TRAN AIRCREW - NSTD WHITE VEH PARKING BOXES AND C-17 WING-TIP GUIDE LINES PAINTED ON ANG RAMP.

A 110-032 MILITARY: COMD POST OPR 1000-0400++, DSN 636-2286.

A 110-033 ALL SFCS. WORK IN PROGRESS GRASS CUTTING CONDUCTED APR-OCT.

A 110-034 TXL C NOT VSB TO TWR FOR ACFT PUSHBACK FM PAX TRML; CTC GND FREQ FOR PUSHBACK ONTO TXL C.

111 INSPECTOR: (F)

112 LAST INSP: 06/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: SWF FAA SITE NR: 15752.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 06/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026