

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/12/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: STILLWATER 4 STATE: OK LOC ID: SWO FAA SITE NR: 19241.*A
> 2 AIRPORT NAME: STILLWATER RGNL 5 COUNTY: PAYNE OK
> 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: ASW/AOK 7 SECT AERO CHT: WICHITA

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF STILLWATER
> 12 ADDRESS: 723 SOUTH LEWIS
STILLWATER, OK 74074
> 13 PHONE NR: 405-372-0025
> 14 MANAGER: KELLIE REED
> 15 ADDRESS: 3304 N AIRPORT INDUSTRIAL ACCESS RD
STILLWATER, OK 74075
> 16 PHONE NR: 405-533-8425
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0800-2200

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 36-09-41.0020N ESTIMATED
20 ARPT LONG: 097-05-09.2160W
21 ARPT ELEV: 1000.3 SURVEYED
22 ACREAGE: 1,571
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: MC ALESTER
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	17/35
> 30 RUNWAY INDENT:	5,002	7,401
> 31 LENGTH:	75	100
> 32 WIDTH:	ASPH-G	CONC-G
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:	34.0	100.0
35 GROSS WT: S	60.0	157.0
36 (IN THSDS) D		310.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
> 43 VGS:	35 / 39	50 / 38	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/ Y	/	/
> 49 APCH LIGHTS:	/	MALSR /	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / B(V)	PIR / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	GND /	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	3 /	/	/	/
> 55 DIST FROM RWY END:	520 /	/	/	/
> 56 CNTRLN OFFSET:	0B /	/	/	/
57 OBSTN CLNC SLOPE:	45:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	5,002 / 5,002	7,401 / 7,401		
> 60 TAKE OFF RUN AVBL (TORA):	5,002 / 5,002	7,401 / 7,401	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,002 / 5,002	7,401 / 7,401	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,002 / 5,002	7,401 / 7,401	/	/
> 63 LNDG DIST AVBL (LDA):	5,002 / 5,002	7,401 / 7,401	/	/

> 110 REMARKS

A 017 AFT HR FUEL - 405-377-5326.
A 026 24 HRS PPR FOR UNSKED ACFT OPS WITH MORE THAN 9 PAX CALL AMGR 405-533-2222.
A 035 RWY 17/35 STRENGTHS BASED ON RESTRICTED OPS.
A 039 RWY 04/22 PCR VALUE: 158/R/C/W/T
A 039 RWY 17/35 PCR VALUE: 582/R/C/W/T
A 043 RWY 04 UNUSBL BYD 9 DEGS RIGHT OF CNTRLN.
A 043 RWY 17 UNUSBL BYD 9 DEGS LEFT & RIGHT OF CNTRLN.
A 043 RWY 35 UNUSBL BYD 9 DEGS LEFT & 8 DEGS RIGHT OF CNTRLN.
A 081 ACTVT MALSR RWY 17; REIL RWY 35; PAPI RWY 22; MIRL RWY 04/22 & 17/35 - CTAF. MIRL RWY 17/35 PRESET LOW INTST; INCR INTST - CTAF.
A 110-006 ARFF INDEX B MAINTAINED; ARFF INDEX C PPR.
A 110-007 PTN OF TWY F NORTH OF T-HNGR 2 NOT VSBL FROM ATCT.
A 110-008 FOR CD IF UNA TO CTC ON FSS FREQ, CTC KANSAS CITY ARTCC AT 913-254-8508.
A 110-010 STUDENT OPS & BIRDS ON & INVOF ARPT.
A 110-011 ALL RAMPS UNCONTROLLED.

111 INSPECTOR: (F)

112 LAST INSP: 03/16/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/12/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/12/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OK LOC ID: SWO FAA SITE NR: 19241.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/AOK 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-012 AFT HRS FUEL AVBL WITH PPR; CTC 405-624-5463.
A 110-013 FOR GA TSNT PRKG ON HANGAR 1 RAMP CTC FBO ON UNICOM OR FONE 405-624-5463.
A 110-014 OPNS ABV PCR VALUE BY PPR.

111 INSPECTOR: (F)

112 LAST INSP: 03/16/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/12/2026
AFD EFF 05/14/2026