

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: SYRACUSE 4 STATE: NY LOC ID: SYR FAA SITE NR: 16269.*A
> 2 AIRPORT NAME: SYRACUSE HANCOCK INTL 5 COUNTY: ONONDAGA NY
> 3 CBD TO AIRPORT (NM): 04 NE 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF SYRACUSE
> 12 ADDRESS: CITY HALL
SYRACUSE, NY 13212
> 13 PHONE NR: 315-448-8805
> 14 MANAGER: JASON TERRERI
> 15 ADDRESS: 1000 COL EILEEN COLLINS BLVD
SYRACUSE, NY 13212
> 16 PHONE NR: 315-454-3263
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AVNCS, CARGO, CHTR, INSTR,
RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 43-06-40.2530N ESTIMATED
20 ARPT LONG: 076-06-22.7540W
21 ARPT ELEV: 421.1 SURVEYED
22 ACREAGE: 2,000
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: BUFFALO
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	10/28	15/33
> 30 RUNWAY INDENT:	9,013	7,499
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-E	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	115.0	115.0
35 GROSS WT: S	156.0	156.0
36 (IN THSDS) D	257.0	257.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NSTD - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	V4L / P4R	V4L / P4L	/	/
> 43 VGSI:	55 / 78	49 / 53	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	Y - N / Y - Y	Y - / Y -	- / -	- / -
> 46 CNTRLN-TDZ:	TMR - N / TMR - N	R - / T -	- / -	- / -
> 47 RVR-RVV:	/	/	/	/
> 48 REIL:	MALSR / ALSF2	MALS /	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / PIR	D / C		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREES / TREES	TREES / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	64 / 80	51 / 34	/	/
> 54 HGT ABOVE RWY END:	2,609 / 2,924	1,440 / 840	/	/
> 55 DIST FROM RWY END:	686R / 287L	380L / 520L	/	/
> 56 CNTRLN OFFSET:	37:1 / 34:1	24:1 / 18:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	9,013 / 9,013	7,499 / 7,499		
> 60 TAKE OFF RUN AVBL (TORA):	9,013 / 9,013	7,499 / 7,499	/	/
> 61 TAKE OFF DIST AVBL (TODA):	9,013 / 9,013	7,499 / 7,499	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	9,013 / 9,013	7,499 / 7,499	/	/
> 63 LNDG DIST AVBL (LDA):	9,013 / 9,013	7,499 / 7,499	/	/

> 110 REMARKS

A 039 RWY 10/28 PCR VALUE: 730/F/C/W/T
A 039 RWY 15/33 PCR VALUE: 730/F/C/W/T
A 042 RWY 33 NSTD MRKGS; AIMING POINT MRKGS 1340 FT FM APCH END RWY.
A 047 RWY 28 RVRT SENSOR SHARED BY RWY 33.
A 110-001 NO CHTR OPS THRU PAX TRML BLDG WO PPR.
A 110-002 NOISE ABATEMENT PROCS IN EFCT.
A 110-003 DEER/COYOTE/BIRDS ON & INVOF ARPT.
A 110-004 NO JET ENG MAINT RUNS ABV IDLE BTWN 2300-0600.
A 110-005 NO TSNT ACFT PRKG ON MAIN TRML RAMP.
A 110-007 DRCT CUST NOTIFICATION IS RQRD. HRS OF NOTIFICATION ARE MON-SAT 0800-1700. ARRS OUTSIDE OF THESE HRS MUST MAKE ARRANGEMENTS DRG RGLR WORK HRS; CALL 315-455-2271.
A 110-014 HVY ACFT CTC ARPT COMMISSIONER FOR PRKG AVBL AT C315-455-3263. LTD METRO AVBL AT DSN 243-2185. C315-233-2185 OR CTC OWS DSN 576-9755/9702. ALL TSNT ACFT REQ NOISE ABATEMENT BRIEFING.
A 110-016 MILITARY: ANG: COMS OPS - 140.425 379.5 RMKS: (COBRA OPS) CTC ANG OPS 15 MIN PRIOR TO ARR.
A 110-017 RSTD: TWY J & P SOUTH OF TWY Y CLSD TO CIV OPS.

111 INSPECTOR: (F) 112 LAST INSP: 05/15/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: SYR FAA SITE NR: 16269.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTGL OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-018 CTN: TWY J & P SOUTH OF TWY Y & ANG RAMP HAVE UNCTLD VEH & EQPT TFC.
A 110-019 MILITARY: ANG: OPR 1030-2100Z++ MON-THUR EXC HOL. PPR TSNT ACFT OFFL BUS ONLY. AFLD MGR DSN 243-2399, C315-233-2399, AFT DUTY HR CTC C315-233-2399. PPR REQ FOR ALL TSNT ACFT DUE LTD TSNT SVC. NTFY AFLD MGR OF ETA DLA OVR 30 MIN OR MSN CNL IS RQR.
A 110-020 MILITARY: ANG: HVY ACFT CTC ARPT COMMISSIONER FOR PRKG AVBL AT C315-455-3666. ALL TSNT ACFT RQR NOISE ABATEMENT BRIEFING.
A 110-021 UAS OPER WI THE CONFINES OF SYRACUSE CLASS C, TIMES VARY.
A 110-022 UAS OPS IN SYRACUSE APCH/DEP ASP WILL BE CONTROLLED BY SYR ATC AT ALL TIMES.
A 110-023 NON-STD MKG ON MIL RAMP.
A 110-024 ELEVD RWY GUARD LGTS FOR RWY 10-28 AT TWY L, J, N, H, G, M ARE NOT OPR DURG DAY
A 110-025 ELEVD RWY GUARD LGTS FOR RWY 15-33 AT TWY B, K, S, M ARE NOT OPR DURG DAY.

111 INSPECTOR: (F)

112 LAST INSP: 05/15/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: SYR FAA SITE NR: 16269.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/15/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026