

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: TETERBORO 4 STATE: NJ LOC ID: TEB FAA SITE NR: 14349.\*A  
> 2 AIRPORT NAME: TETERBORO 5 COUNTY: BERGEN NJ  
> 3 CBD TO AIRPORT (NM): 01 SW 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: PORT AUTHORITY OF NY & NJ  
> 12 ADDRESS: 4 WORLD TRADE CENTER  
NEW YORK, NY 10006  
> 13 PHONE NR: 212-435-3640  
> 14 MANAGER: SHERRI SMITH  
> 15 ADDRESS: 90 MOONACHIE AVE  
TETERBORO, NJ 07608  
> 16 PHONE NR: 201-807-4019  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AVNCS, CARGO, CHTR, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-51-00.3670N ESTIMATED  
20 ARPT LONG: 074-03-39.0000W  
21 ARPT ELEV: 8.3 SURVEYED  
22 ACREAGE: 827  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: IV A U 12/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SS-SR  
BCN LGT SKED: SS-SR  
82 UNICOM:  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: MILLVILLE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	01/19	06/24
> 30 RUNWAY INDENT:	6,997	6,014
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	50.0	50.0
35 GROSS WT: S	100.0	100.0
36 (IN THSDS) D		
37 2D		
38 2D/2D2		
> 39 PCN:		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	/ P4L	/	/
> 43 VGS:	56 / 57	/ 46	/	/
44 THR COSSING HGT.:	3.10 / 3.00	/ 3.20	/	/
45 VISUAL GLIDE ANGLE:	Y - / Y - Y	Y - Y / Y -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	TR - N / TR -	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y / Y	/	/
> 48 REIL:	/	MALSR /	/	/
> 49 APCH LIGHTS:				

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	B(V) / PIR	PIR / C		
50 FAR 77 CATEGORY	770 / 767	/	/	/
> 51 DISPLACED THR:	TREE / BLDG	TREE / TREE	/	/
> 52 CTLG OBSTN:	/ L	/	/	/
> 53 OBSTN MARKED/LGTD:	88 / 263	148 / 77	/	/
> 54 HGT ABOVE RWY END:	802 / 9,256	5,950 / 1,705	/	/
> 55 DIST FROM RWY END:	524L / 319L	1293L / 462L	/	/
> 56 CNTRLN OFFSET:	7:1 / 34:1	38:1 / 19:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	01/19	06/24		
> 60 TAKE OFF RUN AVBL (TORA):	6,997 / 6,997	6,014 / 6,014	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,997 / 6,997	6,014 / 6,014	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,929 / 6,997	6,014 / 6,014	/	/
> 63 LNDG DIST AVBL (LDA):	6,159 / 6,230	6,014 / 6,014	/	/

### > 110 REMARKS

A 026 ARFF INDEX B EQUIPMENT COVERAGE PRVDD.  
A 039 RWY 01/19 PCR VALUE: 459/F/D/X/T  
A 039 RWY 06/24 PCR VALUE: 343/F/D/X/T  
A 046 RWY 01/19 DTHR CNTRLN LGTS OTS INDEFLY.  
A 057 RWY 01 67 FT TREE DIST 1200 FT, 400 FT RIGHT, 16:1 BASED ON DTHR.  
A 057 RWY 19 APCH RATIO 25:1 TO DTHR.  
A 082 ARPT OPS FREQUENCY 130.575.  
A 110-001 CLSD TO MOTORLESS ACFT - UNCTLD ACFT & ULTRALIGHT ACTIVITY EXCEP BY PRIOR PERMISSION.  
A 110-002 ALL ACFT AVOID HOSPITAL 1.7 MILE NORTH OF RWY 01/19.  
A 110-003 DEER AND BIRD ACT ON AND INVOF ARPT.  
A 110-004 HEL OPNS OVER RESIDENTIAL AREAS BLO 1000 FT MSL SHOULD BE AVOIDED.  
A 110-005 ACFT & HELICOPTER NOISE ABATEMENT RULES IN EFF; CTC ARPT NOISE ABATEMENT OFC 201-393-0399/288-1775 FOR COPY OF PROCEDURES & RULES PRIOR TO ARR. RY 24 NOISE CRITICAL RY MAX NOISE LIMIT OF 80 DB BETWEEN 2200-0700 & 90 DB ALL OTR HRS.  
A 110-007 STAGE 1 ACFT NOT PERMITTED TO OPR AT TETERBORO ARPT.  
A 110-010 DLY CONS CONST ACT ALL QUADRANTS.

111 INSPECTOR: (F) 112 LAST INSP: 10/28/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NJ LOC ID: TEB FAA SITE NR: 14349.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-014 ACFT CAPABLE OF OPERATING ABV 100,000 POUNDS MUST SUBMIT CERTIFICATION TO AMGR VERIFYING AIRCRAFT OPERATING WEIGHT IS LESS THAN 100,000 LBS. CONTACT AIRPORT OPERATIONS AT 201-288-1775 FOR FORMS.  
A 110-015 TEB RNAV (GPS) X RWY 06 IS PRIM RNAV APCH TO RWY 06.

111 INSPECTOR: ( F )

112 LAST INSP: 10/28/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026