

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: TRUCKEE 4 STATE: CA LOC ID: TRK FAA SITE NR: 02366.*A
> 2 AIRPORT NAME: TRUCKEE-TAHOE 5 COUNTY: PLACER CA
> 3 CBD TO AIRPORT (NM): 02 E 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: SAN FRANCISCO

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: TRUCKEE-TAHOE AIRPORT DIST
> 12 ADDRESS: 10356 TRUCKEE AIRPORT RD
TRUCKEE, CA 96161
> 13 PHONE NR: 530-587-4540
> 14 MANAGER: ROBB ETNYRE
> 15 ADDRESS: 10356 TRUCKEE AIRPORT RD
TRUCKEE, CA 96161
> 16 PHONE NR: 530-587-4119
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-2000

SERVICES

70 FUEL: 100LL A A+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN: LOW
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
CHTR, GLD, INSTR, RNTL, TOW

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: RENO
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 39-19-12.2000N ESTIMATED
20 ARPT LONG: 120-08-22.5000W
21 ARPT ELEV: 5904.3 SURVEYED
22 ACREAGE: 2,280
> 23 RIGHT TRAFFIC: 20
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGSY
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	02/20	11/29
> 30 RUNWAY INDENT:	4,654	7,001
> 31 LENGTH:	75	100
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	35.0	50.0
35 GROSS WT: S	50.0	80.0
36 (IN THSDS) D		
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	MED		
	NPI - G / NPI - G	NPI - G / NPI - G	- / -	- / -
> 40 EDGE INTENSITY:	/ V2L	/	/	/
> 42 RWY MARK TYPE-COND:	/ 25	/	/	/
> 43 VGSI:	/ 3.50	/	/	/
44 THR COSSING HGT.:	N - N / N - N	N - N / N - N	- / -	- / -
45 VISUAL GLIDE ANGLE:	- N / - N	- N / - N	- / -	- / -
> 46 CNTRLN-TDZ:	N / N	Y / N	/	/
> 47 RVR-RVV:	/	/	/	/
> 48 REIL:				
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	A(V) / A(NP)	C / B(V)	/	/
50 FAR 77 CATEGORY	/ 115	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	L/R /	L/R /	/	/
57 OBSTN CLNC SLOPE:	20:1 / 20:1	20:1 / 34:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 023 GLDRS USE LEFT TFC RWY 20.
A 043 RWY 20 UNUSBL BYD 2 DEGS LEFT OF CNTRLN.
A 070 L MOBILE FUEL AVBL 0700-1900; SELF-SERVE AVBL 0700-2000.
A 070 JETA/SAF
A 081 WHEN ATCT CLSD ACTVT REIL RWY 11; MIRL RWY 2/20 & 11/29; VASI RWY 20 - CTAF.
A 110-001 RWY 20 & RWY 11 DIST-TO-GO MKRS INSTLD ON LEFT SIDE.
A 110-002 SUMMER DENSITY ALTS IN AFTNS FRQLY EXCEED 9000 FT.
A 110-008 WILDLIFE ON AND INVOF ARPT.
A 110-009 GLDR OPNS NE OF ARPT MAY-SEP.
A 110-010 ACFT & HEL NOISE ABATEMENT RULES IN EFCT. PLS AVOID FLT OVER RESIDENTIAL AREAS, N, W, & S; CTC ARPT NOISE ABATEMENT OFC 530-587-4119
EXT 106 OR CHECK ARPT WEBSITE FOR COPY OF PROCS & RULES PRIOR TO ARR OR DEP.
A 110-011 NO DE-ICE SER AVAIL INDEF
A 110-013 SIMUL OPS ON RWYS 11/29 AND 2/20 MAY-SEP.
A 110-014 CLSD TO ULTRALIGHT ACT EXC BY PRIOR PMSN.
A 110-015 ACFT CPBL OF OPERG ABV 80,000 LBS MUST SMT CERTIF TO AMGR VFYG ACFT OPERG WT IS LESS THAN 80,000 LBS.

111 INSPECTOR: (S)

112 LAST INSP: 08/01/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: TRK FAA SITE NR: 02366.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-016 VOLUNTARY CURFEW: NO ENG STARTS ARR OR DEP EXC PPR OR LIFEGUARD/FIRE FIGHTING FLTS 2200-0700.
- A 110-017 PREF CALM WIND RWY USE RWY 02.
- A 110-018 NO ASR COVERAGE BLO 10,000 FT OVER KTRK
- A 110-019 SPECIAL HAZARD: MOUNTAINOUS TRRN SRNDS ARPT AND RWYS; EXPC WINDSHEAR AND DOWNDRAFTS.
- A 110-020 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -17C.
- A 110-021 WHEN ATCT CLSD, FOR CD CTC OAKLAND ARTCC AT 510-745-3380.

111 INSPECTOR: (S)

112 LAST INSP: 08/01/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026