

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/30/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: TUCSON 4 STATE: AZ LOC ID: TUS FAA SITE NR: 00816.*A
> 2 AIRPORT NAME: TUCSON INTL 5 COUNTY: PIMA AZ
> 3 CBD TO AIRPORT (NM): 06 S 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: TUCSON AIRPORT AUTHORITY
> 12 ADDRESS: 7250 SOUTH TUCSON BLVD, SUITE 300
TUCSON, AZ 85756
> 13 PHONE NR: 520-573-8100
> 14 MANAGER: DANETTE BEWLEY
> 15 ADDRESS: TUCSON APT AUTH 7250 S TUCSON BLVD, SUITE
TUCSON, AZ 85756
> 16 PHONE NR: 520-573-4820
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A A++
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
RNTL, SALES, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 32-07-01.4530N ESTIMATED
20 ARPT LONG: 110-56-29.2650W
21 ARPT ELEV: 2643.0 SURVEYED
22 ACREAGE: 7,938
> 23 RIGHT TRAFFIC: 22, 30
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPSY3
> 26 FAR 139 INDEX: I C S 05/1973

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: PRESCOTT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	12/30
> 30 RUNWAY INDENT:	7,000	10,996
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	119.0	120.0
35 GROSS WT: S	209.0	214.0
36 (IN THSDS) D	393.0	405.0
37 2D	830.0	918.0
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	/ P4L	P4L / P4L	/	/
> 43 VGS: I	/ 53	73 / 81	/	/
44 THR COSSING HGT.:	/ 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- N / - N	- N / - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	T - N / R - N	- / -	- / -
> 47 RVR-RVV:	/ Y	/ Y	/	/
> 48 REIL:	/	MALSR /	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / C	PIR / C		
50 FAR 77 CATEGORY	850 /	/	/	/
> 51 DISPLACED THR:	RR /	/ GND	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	21 / 40	/ 8	/	/
> 54 HGT ABOVE RWY END:	270 / 1,400	/ 400	/	/
> 55 DIST FROM RWY END:	250L / 300R	/ 500R	/	/
> 56 CNTRLN OFFSET:	3:1 / 30:1	50:1 / 25:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	7,000 / 6,000	10,996 / 10,996		
> 60 TAKE OFF RUN AVBL (TORA):	7,000 / 6,000	10,996 / 10,996	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,000 / 6,000	10,996 / 10,996	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,000 / 6,000	10,996 / 10,996	/	/
> 63 LNDG DIST AVBL (LDA):	6,150 / 6,000	10,996 / 10,996	/	/

> 110 REMARKS

A 014 ADAM MERRILL 520-573-5112.
A 030 RWY 12/30 FIXED WING JET VSTOL/VTOL OPS NA. DSTC RMNG MKRS NE SIDE.
A 039 RWY 04/22 PCR VALUE: 470/F/A/X/T
A 039 RWY 12/30 PCR VALUE: 650/R/A/W/T
A 040 RWY 12/30 EXCEEDS 200 FT SPACING AT TWY INTXN ON N & S SIDE OF RWY.
A 110-001 CTN: NW ARR & DEP DO NOT MISTAKE TWY A FOR LNDG SFC; TWY A N & PARL TO RWY 30.
A 110-002 PTNS TWY D NOT VIS FM ATCT.
A 110-007 FLT TRNG 2200-0600 NA EXC PPR - 520-573-8190.
A 110-017 GROUP V TAX WITH INBOARD ENG ONLY. TRML RAMP CLSD TO ADG IV & ABV WO PPR.
A 110-026 A GEAR - BAK-14 BAK-12B APCH END RWY 12, BAK-14 BAK-12B APCH END RWY 30 & BAK-14 BAK-12B APCH END RWY 22 AVBL DURG ANG DUTY HR: 5 MIN PN.
A 110-028 TWY A5 LTD 70000 LB OR LESS.
A 110-029 MIL: ANG OFFL BUS ONLY; 72 HR PPR - D844-6731/C520-295-6731; FAX EXTN 6732. BASE OPS 1300Z-2230Z MON-FRI & DRILL WKEND 1300Z-2130Z; CLSD OTR WKENDS, HOL & SKED OFF DAYS. TRAN ALERT MAINT NA. TSNT SI FSL ONLY. CONTR FUEL NA.
A 110-030 USE UPPER ANT UNTIL AIRBORNE.

111 INSPECTOR: (F) 112 LAST INSP: 03/20/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/30/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/30/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: TUS FAA SITE NR: 00816.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTGL OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-037 CHARTER, SPORT TEAM, CARGO & MIL PPR - FBO. LNDG & PRKG FEE 12500 LBS & UP.
- A 110-039 MIL/COMM/BASE OPS ARR CTC TITAN OR PUMA - ANG BASE OPS/COMD POST FREQ.
- A 110-040 MIL: BIRD ACT PHASE II IN EFCT 1 JUL-31 AUG.
- A 110-042 USCBP INSP RAMP RFLG NA EXC MED EMERG.
- A 110-043 GEN INFO - 520-573-8182.
- A 110-044 CTN: REVIEW ARPT DIAGRAM HOT SPOT INFO.
- A 110-045 OPR PARROT ALL SFCS, PUSHBACK & GATE ARR.
- A 110-046 N RAMP CLSD TO WINGSPAN GTR THAN 79 FT.
- A 110-047 TXL K CLSD TO WINGSPAN GTR THAN 104 FT.
- A 30A RWY 30 CTN: ENSURE DEP RWY; DO NOT MISTAKE FOR DEMOL RWY.

111 INSPECTOR: (F)

112 LAST INSP: 03/20/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/30/2026
AFD EFF 04/16/2026