

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/18/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: TRAVERSE CITY 4 STATE: MI LOC ID: TVC FAA SITE NR: 10379.*A
 > 2 AIRPORT NAME: CHERRY CAPITAL 5 COUNTY: GRAND TRAVERSE MI
 3 CBD TO AIRPORT (NM): 02 S 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: GREEN BAY

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: NORTHWEST RGNL AIRPORT AUTHORITY
 > 12 ADDRESS: 727 FLY DONT DR
 TRAVERSE CITY, MI 49686-3591
 > 13 PHONE NR: 231-947-2250
 > 14 MANAGER: KEVIN C KLEIN, AAE
 > 15 ADDRESS: 727 FLY DONT DR
 TRAVERSE CITY, MI 49686-3591
 > 16 PHONE NR: 231-947-2250
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL 0400-0100

SERVICES

70 FUEL: 100LL A+
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AGRI, AMB, AVNCS, CARGO, CHTR,
 INSTR, RNTL

OPERATIONS

Information on aircraft operations is available
 from FAA's Aviation System Performance
 Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 44-44-29.6830N ESTIMATED
 20 ARPT LONG: 085-34-54.7320W
 21 ARPT ELEV: 623.9 SURVEYED
 22 ACREAGE: 1,026
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGPVY3
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: LANSING
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	10/28	18/36
> 30 RUNWAY INDENT:	7,016	5,378
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-F	ASPH-F
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	116.0	79.0
35 GROSS WT: S	193.0	127.0
36 (IN THSDS) D	326.0	215.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	V4L / V4L	/	/
> 43 VGS:	55 / 45	47 / 53	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.50	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	N / N	N / N	/	/
> 48 REIL:	MALSR / MALSR	/	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

	C / PIR	C / C		
50 FAR 77 CATEGORY	/	272 /	/	/
> 51 DISPLACED THR:	TREE / TOWER	TREE / FENCE	/	/
> 52 CTLG OBSTN:	/ L	/	/	/
> 53 OBSTN MARKED/LGTD:	80 / 452	70 / 14	/	/
> 54 HGT ABOVE RWY END:	3,209 / 16,493	1,199 / 769	/	/
> 55 DIST FROM RWY END:	187R / 2359L	148L / 0B	/	/
> 56 CNTRLN OFFSET:	37:1 / 36:1	14:1 / 40:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

	7,016 / 7,016	5,378 / 5,378		
> 60 TAKE OFF RUN AVBL (TORA):	7,016 / 7,016	5,378 / 5,378	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,016 / 7,016	5,108 / 5,108	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,016 / 7,016	4,838 / 5,108	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 017 DURG HRS WHEN ARPT IS UNATNDD CALL ARPT OPNS 231-313-0928. FOR FBO HRS OF OPS CALL 231-929-1126.
 A 026 48 HR PPR FOR UNSKED ACR OPS WITH OVER 30 PSGR SEATS - CALL AMGR.
 A 039 RWY 10/28 PCR VALUE: 470/F/B/X/T
 A 039 RWY 18/36 PCR VALUE: 310/F/B/X/T
 A 057 RWY 18 DTHR APCH SLOPE 19:1.
 A 070 100LL SELF SVC FUEL AVBL WITH CREDIT CARD DURG FBO HRS ONLY.
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 10 & 28; HIRL RWY 10/28; MIRL RWY 18/36 - CTAF. PAPI RWY 10 & 28; VASI RWY 18 & 36 OPR CONSLY.
 A 110-002 BIRDS ON AND INVOF ARPT.
 A 110-003 SNOW REMOVAL OPNS IN PROGRESS WINTER MONTHS; SNOW COMMAND WILL BE MONITORING CTAF DURING NON-ATCT HOURS. ACFT LNDG/DEPARTING TVC SHOULD ANNOUNCE THEIR INTENTIONS ON CTAF WHEN ATCT CLSD.
 A 110-004 TWY C-2/C-3 EAST OF TWY C NOT AVBL TO ACR ACFT.
 A 110-005 FLIGHT CREWS SHOULD READ BACK ALL ADZY INFO PRVDD BY SNOW COMMAND.
 A 110-006 ARPT SFC COND UNMON BTN 0100 - 0400.
 A 110-007 USCG - PPR CTC TRAVERSE CITY FM 21 PRIMARY, 345.0 SECONDARY 15 MINS PRIOR TO ENTERING CG RAMP.

111 INSPECTOR: (F) 112 LAST INSP: 09/18/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/18/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/18/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MI LOC ID: TVC FAA SITE NR: 10379.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-008 PARASAILING OPNS 1.5 NM NORTHEAST OF ARPT FROM MEMORIAL DAY TO LABOR DAY 600 FT AGL FROM SR-SS DAILY.
A 110-010 ALL TSNT ACFT CHRGD LDG, OVNGT RAMP PRKG FEE EXC MIL.
A 110-013 FOR CD WHEN ATCT IS CLSD CTC FSS VIA RCO, IF UNA CTC MINNEAPOLIS ARTCC AT 651-463-5588.
A 110-014 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -21C.
A 110-015 48 HR PPR FOR UNSKED ACR OPS GTR THAN 100000 LB. PPR FOR ACFT OPS WITH WINGSPAN GTR THAN 118 FT. PPR FOR ACFT OPS GTR THAN 12500 LB FOR TWY J & EAST RAMP. TWY C-2/C-3 EAST OF TWY C NOT AVBL TO ACR ACFT. PPR FOR ACFT OPS GTR THAN 60000 LB ON NORTH RAMP. NORTH RAMP CLSD TO ACFT OPS GTR THAN 100000 LB. NO GA ACFT ON THE ACR RAMP. NO ACFT WITH WINGSPAN GTR THAN 40 FT BTN GA RAMP & SOUTH RAMP. PUSHBACK ADZYS ON THE TRML RAMP ARE NOT PRVDD BY ATC. DIVERTING NON-BASED ACR ACFT CTC ARPT OPS AT 231-313-0928 PRIOR TO DIVERTING. NO CUST SVC AVBL.

111 INSPECTOR: (F)

112 LAST INSP: 09/18/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/18/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/18/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MI LOC ID: TVC FAA SITE NR: 10379.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 09/18/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/18/2026
AFD EFF 05/14/2026