

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: CAMP DOUGLAS 4 STATE: WI LOC ID: VOK FAA SITE NR: 27085.*A
> 2 AIRPORT NAME: VOLK FLD 5 COUNTY: JUNEAU WI
3 CBD TO AIRPORT (NM): 01 N 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: AIR FORCE 70 FUEL:
> 11 OWNER: USAF
> 12 ADDRESS: HDQTRS WI ANG VOLK FLD CAMP
CAMP DOUGLAS, WI 54618
> 13 PHONE NR: 608-427-1205
> 14 MANAGER: BASE OPERATIONS
> 15 ADDRESS: HDQTRS WI ANG VOLK FLD CAMP
CAMP DOUGLAS, WI 54618
> 16 PHONE NR: 608-427-1205
> 17 ATTENDANCE SCHEDULE:
ALL MON-FRI 1400-2200Z++

SERVICES

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 43-56-21.2630N ESTIMATED
20 ARPT LONG: 090-15-11.3820W
21 ARPT ELEV: 912.0 ESTIMATED
22 ACREAGE:
> 23 RIGHT TRAFFIC: 27
> 24 NON-COMM LANDING: NO

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SEE RMK
82 UNICOM:
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: GREEN BAY
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

09/27
9,000
150
CONC

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

HIGH
- F / - F - / - - / -
53 53

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

PIR / PIR / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

A 016 DSN 871-1205.
A 017 EXC HOL, CK NOTAM FOR CURRENT AFLD HR.
A 049 RWY 27 SFL NOT AVAILABLE ON PCL, AVAILABLE UPON REQUEST WITH TWR/BASE OPS.
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 09; ALSF-1 RWY 27; PAPI RWY 9 & 27; HIRL RWY 09/27 - CTAF OR 239.25.
A 081 SS-SR. ROTG BCN SCHED SS-SR WHEN TWR OPERATIONAL.
A 110-003 RSTD: RECOMMEND USE AS EMERG ARPT ONLY WHEN RQR TO LAND AS SOON AS POSSIBLE.
A 110-008 LGT: RWY 27 PAPI NSTD, RIGHT SIDE.
A 110-009 A-GEAR - NML BAK-12B(B) CONFIGURATION: APCH END DOWN, DEP END UP; 20 MIN PN TO RECONNECT APCH END CABLE.
A 110-010 JASU - (AM32A-60A) 6(A/M32A-86).
A 110-011 FUEL: A++ AVBL LTD, EXP POSSIBLE GND DELAY FOR REQ EXCEEDING 10,000 GAL.
A 110-012 FLUID - LPOX LOX.
A 110-013 TRAN ALERT - EXTREMELY LTD.
A 110-014 MILITARY USE: OPR 1400-2200Z++ MON-FRI EXC HOL, CK NOTAM FOR CURRENT AIRFIELD HR.
A 110-015 RSTD: PPR CTC VOLK FLD DSN 871-1205, C608-427-1205. ISSUED PPR VALID FOR ETA +/- 1 HR. EARLY/LATE ARR/DEP MUST BE COORD. AFTER HR RE-COORD OR CNL WILL BE PASSED TO BASE OPS SBY PERS C608-343-0104.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 04/05/1989

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: VOK FAA SITE NR: 27085.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

- 10 OWNERSHIP:
- > 11 OWNER:
- > 12 ADDRESS:
- > 13 PHONE NR:
- > 14 MANAGER:
- > 15 ADDRESS:
- > 16 PHONE NR:
- > 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

- 18 AIRPORT USE:
- 19 ARPT LAT:
- 20 ARPT LONG:
- 21 ARPT ELEV:
- 22 ACREAGE:
- > 23 RIGHT TRAFFIC:
- > 24 NON-COMM LANDING:

- 80 ARPT BCN:
- 81 ARPT LGT SKED :
BCN LGT SKED:
- 82 UNICOM:
- 83 WIND INDICATOR:
- 84 SEGMENTED CIRCLE:
- 85 CONTROL TWR:
- 86 FSS:
- 87 FSS ON ARPT:
- 88 FSS PHONE NR:
- 89 TOLL FREE NR:

RUNWAY DATA

- > 30 RUNWAY INDENT:
- > 31 LENGTH:
- > 32 WIDTH:
- > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

- A 110-016 CAUTION - WHEN WIND IS FR S/SW EXP POSSIBLE LOW LEVEL WIND SHEAR 1 TO 3 NM ON FINAL TO RWY 27. DUE TO TACTICAL ACFT RQR, BAK-12 CABLE MAY BE IN POSN FOR RWY 09-27 SIMULTANEOUSLY.
- A 110-017 CAUTION: TWY E, F AND G UNLGTD, UNLTD DAYTIME VFR USE, FOLLOW ME RQR FOR DAY IFR AND NGT IFR/VFR USE. TWY E AND TWY F CLNC VIOLATION - AEROSPACE GND EQPT LCTED WI 58 FT FM TWY CNTLN.
- A 110-018 TFC PAT: COPTER RECTANGULAR 1500'.
- A 110-020 MISC: FIRST 1600 FT RY 09 AND FIRST 1600 FT RY 27 GROOVED CONCRETE, MID 5800 GROOVED ASPHALT. STD USAF RSRs APPLIED.
- A 110-022 RSTD: PPR MUST BE RCV NLT 48 HR IN ADVANCE OF ACFT ARR OR BY 2200Z++ ON FRI FOR THE FOLLOWING MON.
- A 110-023 REMARKS-MISC: BASE OPS DSN 871-1205, C608-427-1205.
- A 110-024 CAUTION: USE EXTREME CAUTION FOR EXTENSIVE UNMANNED AERIAL SYSTEMS (UAS) OPS IN VCNTY.
- A 110-025 REMARKS-CAUTION: BASH PHASE I- ALL DATES NOT DESIGNATED AS PHASE II. PHASE II IN EFFECT 1 SEP TO 30 NOV AND 1 MAR TO 31 MAY.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: VOK FAA SITE NR: 27085.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

- A 110-026 CAUTION: NSTD AIRFIELD PAINT MARK NEAR BAK-12 TAPE CONNECTORS AND DONUTS FOR RWY 09/27. THE MARK IS A 4 IN WIDE YELLOW HALF- MOON ARC AROUND THE SHEAVE, WITH ONE MARK AT EACH ENTRANCE.
- A 110-027 MISC: LAVATORY SVC UNAVBL.
- A 110-028 CAUTION: TSNT CREWS BE ADZD ARFF CAT 9 WITH 9700 GALLONS.
- A 110-029 WHEN ATCT CLSD, FOR CD CTC CHICAGO ARTCC AT 630-906-8921.
- A 110-030 CAUTION: NSTD AIRFIELD PAINT MARK ON EAST APR TO ID PRKG SPOTS.
- A 110-031 COMSEC UNAVBL, MNM OVNGT CLASSIFIED STORAGE AVBL FOR TSNT AIRCREWS.
- A 110-032 RSTD: TWY F 50 FT WIDE; AIRCREWS MUST CTC AIRFIELD MGMT TO UTILIZE TWY E OR TWY F.
- A 110-033 VFR PAT LTD TO 3 ACFT FR 0559Z - 1400Z+.
- A 110-034 TWY G LTD TO WINGSPAN LESS THAN 44 FT AND HELI TFC.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: VOK FAA SITE NR: 27085.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026