

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: VALPARAISO 4 STATE: IN LOC ID: VPZ FAA SITE NR: 05701.*A
 > 2 AIRPORT NAME: PORTER COUNTY RGNL 5 COUNTY: PORTER IN
 3 CBD TO AIRPORT (NM): 01 SE 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: PORTER COUNTY MUNI ARPT AUTH
 > 12 ADDRESS: 4207 MURVIHILL RD
 VALPARAISO, IN 46383
 > 13 PHONE NR: 219-462-6508
 > 14 MANAGER: KYLE J. KUEBLER
 > 15 ADDRESS: 4207 MURVIHILL RD
 VALPARAISO, IN 46383
 > 16 PHONE NR: 219-462-6508
 > 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 0600-2200
 ALL SAT-SUN 0700-1900

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: NONE
 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES: CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.725
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: NO
 86 FSS: TERRE HAUTE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 41-27-14.3000N ESTIMATED
 20 ARPT LONG: 087-00-25.5000W
 21 ARPT ELEV: 770.3 SURVEYED
 22 ACREAGE: 718
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY
 > 26 FAR 139 INDEX: IV A U 10/1986

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| | 09/27 | 18/36 |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT: | 7,001 | 4,001 |
| > 31 LENGTH: | 150 | 75 |
| > 32 WIDTH: | ASPH-G | ASPH-F |
| > 33 SURF TYPE-COND: | GRVD | GRVD |
| 35 GROSS WT: S | 250.0 | 30.0 |
| 36 (IN THSDS) D | 375.0 | 45.0 |
| 37 2D | | |
| 38 2D/2D2 | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | HIGH | MED | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - G / PIR - G | NPI - G / NPI - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | P4L / P4L | P2L / P2L | / | / |
| > 43 VGS: | 45 / 50 | 24 / 35 | / | / |
| 44 THR COSSING HGT.: | 3.00 / 3.00 | 3.00 / 3.00 | / | / |
| 45 VISUAL GLIDE ANGLE: | N - N / N - N | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - N / - N | - / - | - / - | - / - |
| > 47 RVR-RVV: | Y / N | Y / Y | / | / |
| > 48 REIL: | / MALSR | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | C / PIR | C / B(V) | | |
|-------------------------|-------------|---------------|---|---|
| 50 FAR 77 CATEGORY | 500 / | / | / | / |
| > 51 DISPLACED THR: | TREES / | TREES / TREES | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | 60 / | 80 / 32 | / | / |
| > 54 HGT ABOVE RWY END: | 1,212 / | 2,850 / 966 | / | / |
| > 55 DIST FROM RWY END: | 402R / | 0B / 180L | / | / |
| > 56 CNTRLN OFFSET: | 16:1 / 50:1 | 33:1 / 23:1 | / | / |
| 57 OBSTN CLNC SLOPE: | N / N | N / N | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | 09/27 | 18/36 | | |
|----------------------------------|---------------|---------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 7,000 / 6,500 | 4,001 / 4,001 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 7,000 / 6,500 | 4,001 / 4,001 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 7,000 / 6,500 | 4,001 / 4,001 | / | / |
| > 63 LNDG DIST AVBL (LDA): | 6,500 / 6,500 | 4,001 / 4,001 | / | / |

> 110 REMARKS

A 030 RWY 09/27 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - CALL AMGR.
 A 030 RWY 18/36 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - CALL AMGR.
 A 039 RWY 09/27 PCR VALUE: 405/F/C/X/T
 A 039 RWY 18/36 PCR VALUE: 140/F/C/X/T
 A 043 RWY 18 UNUSBL BYD 8 DEG RIGHT OF CNTRLN.
 A 043 RWY 27 UNUSBL BYD 7 DEG RIGHT OF CNTRLN.
 A 043 RWY 36 UNUSBL BYD 8 DEG RIGHT OF CNTRLN.
 A 052 RWY 27 +96 FT MKD PLINE 5601 FT FM RWY END PERPENDICULAR TO CNTRLN 56:1 SLOPE.
 A 081 ACTVT MALSR RWY 27; REIL RWY 9, 18 & 36; PAPI RWY 9, 18, 27 & 36; HIRL RWY 09/27; MIRL RWY 18/36 - CTAF. HIRL RWY 09/27; MIRL RWY 18/36; PRESET TO LOW INTST DUSK - 2300, INCR INTST - CTAF.
 A 110-002 BIRDS & DEER ON & INVOF ARPT.
 A 110-003 FOR CD CTC SOUTH BEND APCH AT 574-251-2609. WHEN SOUTH BEND APCH CLSD, FOR CD CTC CHICAGO ARTCC AT 630-906-8921.

111 INSPECTOR: (F) 112 LAST INSP: 01/23/2020 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: IN LOC ID: VPZ FAA SITE NR: 05701.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 01/23/2020

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026