

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: WINNEMUCCA 4 STATE: NV LOC ID: WMC FAA SITE NR: 13161.\*A  
> 2 AIRPORT NAME: WINNEMUCCA MUNI 5 COUNTY: HUMBOLDT NV  
> 3 CBD TO AIRPORT (NM): 05 SW 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: KLAMATH FALLS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY/COUNTY OF WINNEMUCCA  
> 12 ADDRESS: 90 WEST 4TH STREET  
WINNEMUCCA, NV 89445  
> 13 PHONE NR: 775-623-6333  
> 14 MANAGER: ALICIA HEISER  
> 15 ADDRESS: 90 WEST FOURTH STREET  
WINNEMUCCA, NV 89445  
> 16 PHONE NR: 775-623-6333  
> 17 ATTENDANCE SCHEDULE:

JUN-OCT ALL 0700-1800  
NOV-MAY MON -FRI 0800-1700

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MINOR  
72 PWR PLANT RPRS: MINOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AMB, INSTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.800  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: RENO  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-53-47.8000N ESTIMATED  
20 ARPT LONG: 117-48-21.2000W  
21 ARPT ELEV: 4307.6 SURVEYED  
22 ACREAGE: 968  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY2  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	02/20	14/32	H1	H2
> 30 RUNWAY INDENT:	4,800	7,000	25	25
> 31 LENGTH:	75	100	25	25
> 32 WIDTH:	ASPH-G	ASPH-G	CONC-G	CONC-G
> 33 SURF TYPE-COND:	NONE	NONE	NONE	NONE
> 34 SURF TREATMENT:	28.0	75.0		
35 GROSS WT: S		125.0		
36 (IN THSDS) D		200.0		
37 2D				
38 2D/2D2				
> 39 PCN:				

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 40  
44 THR COSSING HGT.: / 3.00  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL: N / Y  
> 49 APCH LIGHTS:

	MED	MED	FLD	FLD
> 40 EDGE INTENSITY:	BSC - F / BSC - F	NPI - F / NPI - F	BSC - G / -	BSC - G / -
> 42 RWY MARK TYPE-COND:	/ P2L	P2L / P2L	/	/
> 43 VGS:	/ 40	40 / 40	/	/
44 THR COSSING HGT.:	/ 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	N / Y	Y / Y	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN: / ROAD  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END: / 12  
> 55 DIST FROM RWY END: / 500  
> 56 CNTRLN OFFSET: / 0B  
57 OBSTN CLNC SLOPE: 50:1 / 25:1  
58 CLOSE-IN OBSTN: N / N

	A(V) / A(V)	C / D		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN: / ROAD	/	PLINE /	/	/
> 53 OBSTN MARKED/LGTD:	/	M /	/	/
> 54 HGT ABOVE RWY END: / 12	/	30 /	/	/
> 55 DIST FROM RWY END: / 500	/	1,000 /	/	/
> 56 CNTRLN OFFSET: / 0B	/	0B /	/	/
57 OBSTN CLNC SLOPE: 50:1 / 25:1	/	26:1 / 50:1	/	/
58 CLOSE-IN OBSTN: N / N	N / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

- A 014 FBO - WINNEMUCCA AIR SERVICE 775-623-5091.
- A 017 AFT HRS OR EMERG CALL (775) 304-5885.
- A 030 RWY H1 UNMRKD 25 FT X 25 FT CONCRETE TLOF ADJACENT TO APRON PRKG AND TWY ALPHA.
- A 030 H2 ADJACENT TO APRON PRKG AND TAXIWAY ALPHA
- A 033 H1 PAD PERIMETER EDGING IS DAMAGED
- A 033 H2 PERIMETER EDGING IS DAMAGED.
- A 039 RWY 02/20 PCR VALUE: 80/F/C/X/T
- A 039 RWY 14/32 PCR VALUE: 340/F/C/X/T
- A 081 ACTVT REIL RWYS 14 & 32, 20; MIRL RWY 14/32 - CTAF. PRESET LO INTST; INCR/DECR INTST - CTAF.
- A 110-002 FULL STRENGTH PAVEMENT AREAS INCLUDE N 1000 FT OF PARALLEL TWY (RWY 14/32 TO TWY A); W 1000 FT OF TWY A; 600 FT OF N/S TWR (FM TWY A).
- A 110-003 MOUNTAINS IN SW QUADRANT.
- A 110-005 CALL FBO FOR CURRENT RWY CONDS IN WINTER MONTHS.
- A 110-006 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SALT LAKE ARTCC AT 801-320-2568.

111 INSPECTOR: (S)

112 LAST INSP: 06/26/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NV LOC ID: WMC FAA SITE NR: 13161.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 06/26/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026