

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: EMPIRE 4 STATE: MI LOC ID: Y87 FAA SITE NR: 09787.3\*A  
 > 2 AIRPORT NAME: WILLIAM B BOLTON 5 COUNTY: LEELANAU MI  
 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: GREEN BAY

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: EMPIRE VILLAGE/TWP  
 > 12 ADDRESS: PO BOX 204  
 EMPIRE, MI 49630-0204  
 > 13 PHONE NR: 231-326-5466  
 > 14 MANAGER: LANCE ROMAN  
 > 15 ADDRESS: PO BOX 204  
 EMPIRE, MI 49630-0204  
 > 16 PHONE NR: 231-326-5194  
 > 17 ATTENDANCE SCHEDULE:  
 UNATNDD

### SERVICES

70 FUEL:  
 71 AIRFRAME RPRS: NONE  
 72 PWR PLANT RPRS: NONE  
 73 BOTTLE OXYGEN: NONE  
 74 BULK OXYGEN: NONE  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 44-47-25.8590N ESTIMATED  
 20 ARPT LONG: 086-00-09.9713W  
 21 ARPT ELEV: 944.0 SURVEYED  
 22 ACREAGE: 130  
 > 23 RIGHT TRAFFIC: NO  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

80 ARPT BCN:  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED:  
 82 UNICOM:  
 83 WIND INDICATOR: YES  
 84 SEGMENTED CIRCLE: YES  
 85 CONTROL TWR: NO  
 86 FSS: LANSING  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	09/27	17/35
> 30 RUNWAY INDENT:	2,235	2,600
> 31 LENGTH:	150	50
> 32 WIDTH:	TURF-F	ASPH-F
> 33 SURF TYPE-COND:	NONE	NONE
> 34 SURF TREATMENT:		12.5

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

	09/27	17/35		
> 40 EDGE INTENSITY:	- / -	LOW	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	BSC - G / BSC - G	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	- / -	- / -
> 47 RVR-RVV:	- N / - N	- N / - N	- / -	- / -
> 48 REIL:	N / N	N / N	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

	09/27	17/35		
50 FAR 77 CATEGORY	A(V) / A(V)	A(V) / A(V)	/	/
> 51 DISPLACED THR:	217 / 270	200 / 182	/	/
> 52 CTLG OBSTN:	BRUSH / ROAD	TREES / BRUSH	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	17 / 15	10 / 16	/	/
> 55 DIST FROM RWY END:	50 / 33	200 / 380	/	/
> 56 CNTRLN OFFSET:	33L / 125L/	125L/ / 21R	/	/
57 OBSTN CLNC SLOPE:	2:1 / 2:1	0:1 / 11:1	/	/
58 CLOSE-IN OBSTN:	N / N	Y / Y	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

	09/27	17/35		
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	2,400 / 2,400	/	/

### > 110 REMARKS

A 013 EMPIRE VILLAGE OFC 231-326-5466, EMPIRE TWP OFC 231-326-5182.  
 A 030 RWY 09/27 CLSD DEC-MAR & WHEN SN COVD EXC FOR SKI EQUIPPED ACFT, NO SN REMOVAL.  
 A 033 RWY 09/27 UNEVEN ROLLING TRRN.  
 A 042 RWY 09 RWY & DTHR MKD WITH 3 FT YELLOW CONES.  
 A 042 RWY 27 RWY & DTHR MKD WITH 3 FT YELLOW CONES.  
 A 057 RWY 17 CTLG OBSTN EXCEEDS A 45 DEG SLP.  
 A 057 RWY 27 APCH RATIO 20:1 TO DTHR.  
 A 057 RWY 35 APCH RATIO 20:1 TO DTHR OVR 88 FT TREES, 1760 FT DIST, 100 FT R.  
 A 058 RWY 17 +9 FT FENCE, 90 FT DIST, 125 FT L/R.  
 A 058 RWY 35 +15 FT ROAD, 105 FT DIST, 125 FT L/R.  
 A 081 ACTVT LIRL RWY 17/35 - CTAF. LIRL RWY 17/35 OTS NOV-APR.  
 A 110-002 CAMPGROUND ADJACENT TO ARPT; CALL 231-326-5285.  
 A 110-005 RWY 35 WIND SOCK 110 FT EAST OF RWY CNTRLN.  
 A 110-008 FOR CD CTC MINNEAPOLIS ARTCC AT 651-463-5588.  
 A 110-010 DEER, BIRDS & WILDLIFE ON & INVOF ARPT.

111 INSPECTOR: (S)

112 LAST INSP: 08/20/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: MI LOC ID: Y87 FAA SITE NR: 09787.3\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 08/20/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026