

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/30/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: YAKIMA 4 STATE: WA LOC ID: YKM FAA SITE NR: 26480.\*A  
> 2 AIRPORT NAME: YAKIMA AIR TRML/MCALLISTER FLD 5 COUNTY: YAKIMA WA  
> 3 CBD TO AIRPORT (NM): 03 S 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT: SEATTLE

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF YAKIMA  
> 12 ADDRESS: 2300 WEST WASHINGTON AVE  
YAKIMA, WA 98903  
> 13 PHONE NR: (509) 575-6149  
> 14 MANAGER: CHRISTOPHER HOPKINS  
> 15 ADDRESS: 2406 WEST WASHINGTON AVE, SUITE B  
YAKIMA, WA 98903  
> 16 PHONE NR: 509-575-6149  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0600 - 2000

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN: HIGH  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES:  
AFRT, AMB, AVNCS, CHTR, INSTR, RNTL,  
SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 46-34-05.4020N ESTIMATED  
20 ARPT LONG: 120-32-38.6250W  
21 ARPT ELEV: 1098.8 SURVEYED  
22 ACREAGE: 825  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: SEATTLE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04/22	09/27
> 30 RUNWAY INDENT:	3,835	7,604
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-P	ASPH-E
> 33 SURF TYPE-COND:	PFC	GRVD
> 34 SURF TREATMENT:	70.0	95.0
35 GROSS WT: S	80.0	160.0
36 (IN THSDS) D	120.0	220.0
37 2D		550.0
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	NPI - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	V4L / P4L	/	/
> 43 VGSI:	44 / 45	54 / 57	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	R - / T -	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y /	/	/
> 48 REIL:	/	/ MALSR	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	A(V) / A(V)	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	20:1 / 20:1	34:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	3,835 / 3,835	7,604 / 7,604		
> 60 TAKE OFF RUN AVBL (TORA):	3,835 / 3,835	7,604 / 7,604	/	/
> 61 TAKE OFF DIST AVBL (TODA):	3,835 / 3,835	7,604 / 7,604	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	3,835 / 3,835	7,604 / 7,604	/	/
> 63 LNDG DIST AVBL (LDA):	3,835 / 3,835	7,604 / 7,604	/	/

> 110 REMARKS

A 026 PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 509-575-6149/6150.  
A 033 RY 04/22 SOME SPALLING AND RAVELING.  
A 039 RWY 04/22 PCR VALUE: 282/F/D/X/T  
A 039 RWY 09/27 PCR VALUE: 814/F/C/X/T  
A 081 WHEN ATCT CLSD ACTVT HIRL RY 09/27; MALSR RY 27 - CTAF.  
A 110-007 BE ALERT: BIRDS IN VICINTY OF YAKIMA RIVER 5 NM E OF APCH TO 27.  
A 110-008 TWY B FM APCH END OF RY 22 TO TWY A RESTRICTED TO ACFT WITH WINGSPANS OF 79 FT OR LESS.  
A 110-010 RWY 4/22 MIRL, REILS AND PAPIS OTS WHEN TWR CLOSED.  
A 110-011 TWY B1 AND TWY B2 TWY LIGHTS OTS WHEN TWR CLOSED.  
A 110-012 TWY B LIGHTS SOUTH OF RWY 9/27 OTS WHEN TWR CLOSED.  
A 110-013 REFLECTORS ON TWY C ONLY.  
A 110-014 MAIN TERMINAL RAMP RESTRICTED TO AIR CARRIER AIRCRAFT ONLY. RESTRICTED AREA OUTLINED WITH RED MARKINGS.  
A 110-015 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SEATTLE ARTCC AT 253-351-3694.  
A 110-016 SURF CONDS UNMON 2400-0500L

111 INSPECTOR: (F)

112 LAST INSP: 02/12/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/30/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/30/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: WA LOC ID: YKM FAA SITE NR: 26480.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
> 25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/30/2026  
AFD EFF 04/16/2026